

Please reference the shellholder number if you are looking for a shellplate. Manufactures use the same number for shellholders and shellplates.  
 (Example a 223 Rem use a Lee #4 Shellholder, for a Lee progressive press 223 Rem needs a Lee #4 Shellplate)

Cartridge	Redding		Hornady		RCBS		Lee		Lyman	
	#	Product #	#	Product #	#	Product #	#	Product #	#	Product #
17 Cooper Centerfire Magnum (CCM)					Special	745-921				
17-221 Fireball	10	426-142	16	598-627	10	797-095	4	645-588	26	553-172
17 Javelina	10	426-142	16	598-627	10	797-095	4	645-588	26	553-172
17 Hornet	14	265-382	3	391-774	12	303-191	20	872-556	4	313-033
17-223 Remington	10	426-142	16	598-627	10	797-095	4	645-588	26	553-172
17 Remington	10	426-142	16	598-627	10	797-095	4	645-588	26	553-172
17-222 Remington	10	426-142	16	598-627	10	797-095	4	645-588	26	553-172
17 Mach 4	10	426-142	16	598-627	10	797-095	4	645-588	26	553-172
17-222 Remington Magnum	10	426-142	16	598-627	10	797-095	4	645-588	26	553-172
20 Tactical	10	426-142	16	598-627	10	797-095	4	645-588	26	553-172
204 Ruger	10	426-142	16	598-627	10	797-095	4	645-588	26	553-172
5.7x28mm FN	34	999-601	37	868-950	45	898-486	15	909-704	35	837-700
5.45x39mm Russian					Special	698-761				
22 Remington Jet	12	794-408	6	725-493	6	278-373	1	346-472	1	170-236
22 Hornet	14	265-382	3	391-774	12	303-191	20	872-556	4	313-033
22 K-Hornet	14	265-382	3	391-774	12	303-191	20	872-556	4	313-033
22 Cooper Centerfire Magnum (CCM)					Special	920-813				
5.7mm Johnson (22 Spitfire)	22	215-533	22	501-522	17	932-623	7	909-730	19	347-807
218 Bee	3	178-586	7	289-473	1	658-904	6	832-983	10	236-799
221 Fireball	10	426-142	16	598-627	10	797-095	4	645-588	26	553-172
222 Remington	10	426-142	16	598-627	10	797-095	4	645-588	26	553-172
223 Remington	10	426-142	16	598-627	10	797-095	4	645-588	26	553-172
22 Lovell R-2	10	426-142	16	598-627	10	797-095	4	645-588	26	553-172
222 Remington Magnum	10	426-142	16	598-627	10	797-095	4	645-588	26	553-172
220 Russian	12	794-408	6	725-493	32	596-451	12	225-198	1	170-236
22 PPC	12	794-408	6	725-493	32	596-451	12	225-198	3	177-333
219 Zipper	2	577-229	2	337-893	2	701-879	3	604-214	6	523-338
219 Donaldson Wasp	2	577-229	2	337-893	2	701-879	3	604-214	6	523-338
22 BR (Bench Rest)	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
225 Winchester	4	606-023	4	468-895	11	795-975	10	857-158	5	220-181
224 Weatherby Magnum	12	794-408	17	689-158	27	144-563	12	225-198	3	177-333
22/30-30 Winchester	2	577-229	2	337-893	2	701-879	3	604-214	6	523-338
22-250 Remington	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
220 Wilson Arrow	4	606-023	4	468-895	11	795-975	10	857-158	5	220-181
220 Swift	4	606-023	4	468-895	11	795-975	10	857-158	5	220-181
5.6x57mm RWS	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
220 Weatherby Rocket	4	606-023	4	468-895	11	795-975	10	857-158	5	220-181
22-243 Winchester	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
22-6mm Remington	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
22-284 Winchester	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
224 Clark	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
22 Cheetah	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
220 Jaybird	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
223 Winchester Super Short Magnum (WSSM)	6	767-998	35	692-398	43	862-129	5	293-674	34	756-175
5.6x52mm Rimmed (22 Savage High-Power)	2	577-229	2	337-893	2	701-879	3	604-214	6	523-338
6mm-222 Remington	10	426-142	16	598-627	10	797-095	4	645-588	26	553-172
6x45mm (6mm-223 Remington)	10	426-142	16	598-627	10	797-095	4	645-588	26	553-172
6x47mm (6mm-222 Remington Magnum)	10	426-142	16	598-627	10	797-095	4	645-588	26	553-172
6mm PPC	12	794-408	6	725-493	32	596-451	12	225-198	3	177-333
6mm BR (Bench Rest)	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
6mm-225 Winchester	4	606-023	4	468-895	11	795-975	10	857-158	5	220-181
6mm TCU	10	426-142	16	598-627	10	797-095	4	645-588	26	553-172
6mm-250 Savage (6mm International)	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
6mm/22-250 Remington	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
6mm-284 Winchester	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
6mm/30-30 Winchester	2	577-229	2	337-893	2	701-879	3	604-214	6	523-338
6mm Lee Navy					Special	158-280				
243 Winchester	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
6mm Remington	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
240 Page Souper Pooper	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
240 Weatherby Magnum	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
6mm-06 Springfield	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
243 Catbird	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
6x62mm Freres	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
243 Winchester Super Short Magnum (WSSM)	6	767-998	35	692-398	43	862-129	5	293-674	34	756-175

Please reference the shellholder number if you are looking for a shellplate. Manufactures use the same number for shellholders and shellplates.  
 (Example a 223 Rem use a Lee #4 Shellholder, for a Lee progressive press 223 Rem needs a Lee #4 Shellplate)

Cartridge	Redding		Hornady		RCBS		Lee		Lyman	
	#	Product #	#	Product #	#	Product #	#	Product #	#	Product #
240 Gibbs	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
25 ACP	27	297-658	37	868-950	29	658-961	15	909-704	32	754-238
25-20 WCF	3	178-586	7	289-473	1	658-904	6	832-983	10	236-799
25-20 Single Shot	10	426-142	16	598-627	10	797-095	4	645-588	26	553-172
256 Winchester Magnum	12	794-408	6	725-493	6	278-373	1	346-472	1	170-236
25-222 Remington Magnum	10	426-142	16	598-627	10	797-095	4	645-588	26	553-172
25 TCU	10	426-142	16	598-627	10	797-095	4	645-588	26	553-172
25-36 Marlin	2	577-229	2	337-893	2	701-879	3	604-214	6	523-338
25-35 WCF	2	577-229	2	337-893	2	701-879	3	604-214	6	523-338
25 Remington	5	149-487	12	690-366	19	369-707	21	331-109	15	200-918
250 Savage	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
257 Roberts	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
25 Souper (25-308 Winchester)	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
25-06 Remington	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
25-284 Winchester	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
25 Gibbs	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
25 Winchester Super Short Magnum (WSSM)	6	767-998	35	692-398	43	862-129	5	293-674	34	756-175
25-300 Winchester Short Magnum (WSM)	6	767-998	35	692-398	19	369-707	5	293-674	34	756-175
257 Weatherby Magnum	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152
257 STW	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152
25-300 Remington Ultra Magnum	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152
6.5x70mm Rimmed					Special	158-151				
6.5mm BR (Bench Rest)	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
6.5x50mm Japanese Arisaka	4	606-023	34	873-013	15	455-999	10	857-158	5	220-181
6.5x52mm Mannlicher-Carcano	1	479-187	21	683-424	9	558-299	2	616-684	2	753-317
6.5x54mm Mannlicher-Schoenauer	24	291-947	20	686-885	9	558-299				
6.5mm-308 Winchester	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
260 Remington	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
6.5x55mm Swedish Mauser	7	286-213	19	160-922	2	701-879	3	604-214	27	418-294
6.5mm-257 Roberts	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
6.5x57mm Mauser	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
6.5mm-06 A-Square	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
6.5mm Remington Magnum	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152
6.5x64mm Brenneke	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
6.5mm Gibbs	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
6.5x65mm RWS	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
264 Winchester Magnum	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152
6.5mm-300 Winchester Short Magnum (WSM)	6	767-998	35	692-398	43	862-129	5	293-674	34	756-175
6.5x68mm Rimmed					Special	437-691				
6.5mm STW	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152
6.5mm-300 Weatherby Magnum	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152
6.5mm-300 Remington Ultra Magnum	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152
6.8mm Remington SPC	5	149-487	12	690-366	19	369-707	21	331-109	15	200-918
270-308 Winchester	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
270-284 Winchester	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
270 Winchester	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
270 Gibbs	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
270 Winchester Short Magnum (WSM)	6	767-998	35	692-398	43	862-129	5	293-674	34	756-175
270 Weatherby Magnum	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152
7x33mm Sako	13	371-556	8	119-811	16	497-855	19	283-141	12	591-655
7mm TCU (7mm-223)	10	426-142	16	598-627	10	797-095	4	645-588	26	553-172
7mm BR (Bench Rest)	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
7-30 Waters	2	577-229	2	337-893	2	701-879	3	604-214	6	523-338
7mm-08 Remington	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
7x57mm Mauser (7mm Mauser)	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
284 Winchester	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
7x64mm Brenneke	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
7x65mm Rimmed			13	690-054	26	425-260			14B	153-958
280 Remington and 7mm Express	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
7mm Gibbs (280 Gibbs)	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
7x61mm Sharpe & Hart (7x61mm Super)	6	767-998	35	692-398	4	583-303	5	293-674	13	157-152
7mm Winchester Short Magnum (WSM)	6	767-998	35	692-398	43	862-129	5	293-674	34	756-175
7mm Remington Magnum	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152
7mm Weatherby Magnum	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152
7mm-300 Winchester Magnum	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152

Please reference the shellholder number if you are looking for a shellplate. Manufactures use the same number for shellholders and shellplates.  
 (Example a 223 Rem use a Lee #4 Shellholder, for a Lee progressive press 223 Rem needs a Lee #4 Shellplate)

Cartridge	Redding		Hornady		RCBS		Lee		Lyman	
	#	Product #	#	Product #	#	Product #	#	Product #	#	Product #
7x66mm Vom Hofe (7mm Vom Hofe Express)	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152
7mm STW	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152
7mm-300 Weatherby Magnum	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152
7mm Remington Ultra Magnum	6	767-998	5	598-844	38	716-664	5	293-674	13	157-152
7mm Dakota	404	318-329	35	692-398	41	173-863				
28-30 Stevens					Special	314-884				
276 Pedersen					Special	171-526				
7.35mm Carcano	24	291-947	21	683-424	9	558-299	2	616-684		
7.62mm Russian Nagant					Special	738-210				
7.62x25mm Tokarev	13	371-556	8	119-811	16	497-855	19	283-141	12	591-655
30 Luger	13	371-556	8	119-811	16	497-855	19	283-141	12	591-655
30 Carbine	22	215-533	22	501-522	17	932-623	7	909-730	19	347-807
30-223 Remington	10	426-142	16	598-627	10	797-095	4	645-588	26	553-172
30x44mm	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
30 Herrett	2	577-229	2	337-893	2	701-879	3	604-214	6	523-338
308x1.5"	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
30 BR (Bench Rest)	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
30-30 Winchester	2	577-229	2	337-893	2	701-879	3	604-214	6	523-338
30 Remington	5	149-487	12	690-366	19	369-707	21	331-109	15	200-918
308x1.75"	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
303 Savage	21	565-779	33	873-306	21	365-130	11	781-305	6	523-338
308 Marlin Express	2	577-229	2	337-893	2	701-879	3	604-214	6	523-338
300 Savage	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
308 Winchester	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
30-40 Krag	8	288-926	11	414-672	7	163-800	5	293-674	7	527-371
307 Winchester	2	577-229	33	873-306	2	701-879	3	604-214	6	523-338
7.62x54mm Rimmed Russian	15	289-068	23	878-222	13	503-453	16	127-777	17	768-989
7.5mm Schmidt Rubin Swiss	2	577-229	2	337-893	2	701-879	3	604-214	6	523-338
30-284 Winchester	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
30-06 Springfield	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
30 Gibbs	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
300 Remington SAUM	6	767-998	5	598-844	38	716-664	5	293-674	13	157-152
300 Winchester Short Magnum (WSM)	6	767-998	35	692-398	43	862-129	5	293-674	34	756-175
30-338 Winchester Magnum	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152
308 Norma Magnum	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152
300 H&H Magnum	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152
300 Winchester Magnum	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152
30-8mm Remington Magnum	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152
300 Jarrett	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152
308 Baer	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152
300 Weatherby Magnum	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152
300 Lapua Magnum	35	551-665	43	706-368	37	611-456	8	596-364	17	768-989
300 Remington Ultra Magnum	6	767-998	5	598-844	38	716-664	5	293-674	13	157-152
300 Dakota	404	318-329	35	692-398	41	173-863				
30-338 Lapua Magnum	35	551-665	43	706-368	37	611-456	8	596-364	17	768-989
30-378 Weatherby Magnum	18	371-368	14	740-811	14	155-560	8	596-364	17	768-989
300 Pegasus	35	551-665	14	740-811	37	611-456	8	596-364	17	768-989
32 ACP	22	215-533	22	501-522	17	932-623	7B	868-222	23	185-317
7.65mm French MAS	14	265-382	3	391-774	Special	921-353	20	872-556	4	313-033
30 Mauser	13	371-556	8	119-811	16	497-855	19	283-141	12	591-655
7.62x39mm Russian	12	794-408	6	725-493	32	596-451	12	225-198	3	177-333
32 S&W	10	426-142	36	772-361	23	641-110	4	645-588	9	316-345
32 H&R Magnum	10	426-142	36	772-361	23	641-110	4	645-588	9	316-345
327 Federal	10	426-142	36	772-361	23	641-110	4	645-588	9	316-345
32 S&W Long	10	426-142	36	772-361	23	641-110	4	645-588	9	316-345
32-20 WCF	3	178-586	7	289-473	1	658-904	6	832-983	10	236-799
303 British	8	288-926	11	414-672	7	163-800	5	293-674	7	527-371
32 Short Colt	10	426-142	16	598-627	10	797-095	4	645-588	26	553-172
310 Cadet					Special	355-752				
8.15x46mm Rimmed	2	577-229	2	337-893	2	701-879	3	604-214	6	523-338
8mm Nambu	5	149-487	12	690-366	25	503-860	19	283-141	15	200-918
32-40 WCF	2	577-229	2	337-893	2	701-879	3	604-214	6	523-338
32 Remington	5	149-487	12	690-366	19	369-707	21	331-109	15	200-918
32 Winchester Special	2	577-229	2	337-893	2	701-879	3	604-214	6	523-338
8x52mm Rimmed Siamese Type 66	18	371-368	14	740-811	14	155-560	8	596-364	17	768-989

Please reference the shellholder number if you are looking for a shellplate. Manufactures use the same number for shellholders and shellplates.  
 (Example a 223 Rem use a Lee #4 Shellholder, for a Lee progressive press 223 Rem needs a Lee #4 Shellplate)

Cartridge	Redding		Hornady		RCBS		Lee		Lyman	
	#	Product #	#	Product #	#	Product #	#	Product #	#	Product #
8x56mm Mannlicher-Schoenauer	6	767-998	5	598-844	3	326-468	2	616-684	13	157-152
8x57mm Mauser (8mm Mauser)	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
8mm Kropatchek					Special	834-683				
8x60mm S Mauser	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
8mm Lebel (8x50mm Rimmed Lebel)	26	296-716	48	165-749	1	658-904	17	422-808	10	236-799
8mm-06 Springfield	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
8x64mm S Brenneke	4	606-023	4	468-895	11	795-975	10	857-158	5	220-181
8mm Gibbs	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
325 Winchester Short Magnum (WSM)	6	767-998	35	692-398	43	862-129	5	293-674	34	756-175
8mm-338 Winchester Magnum	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152
8mm Remington Magnum	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152
8x56mm Rimmed Hungarian-Mannlicher			47	747-151	13	503-453	16	127-777		
338 Marlin Express	36	937-010	52	123-537						
338 Federal	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
33 WCF	18	371-368	14	740-811	14	155-560	8	596-364	17	768-989
338-284 Winchester	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
338-06 A-Square	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
338-300 Winchester Short Magnum (WSM)	6	767-998	5	598-844	43	862-129	5	293-674	13	157-152
338 Winchester Magnum	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152
338-300 Winchester Magnum	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152
338-8mm Remington Magnum	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152
340 Weatherby Magnum	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152
338 Remington Ultra Magnum	6	767-998	5	598-844	38	716-664	5	293-674	13	157-152
330 Dakota	404	318-329	35	692-398	41	173-863				
338 Lapua Magnum	35	551-665	43	706-368	14 37	155-560 611-456	8	596-364	17	768-989
338-378 Weatherby Magnum	18	371-368	14	740-811	14	155-560	8	596-364	17	768-989
348 Winchester	20	352-335	25	875-679	5	782-797	8	596-364		
351 Winchester Self-Loading	5	149-487	12	690-366	19	369-707	19	283-141	15	200-918
380 ACP	10	426-142	16	598-627	10	797-095	4	645-588	26	553-172
9x18mm Ultra	10	426-142	16	598-627	10	797-095	4	645-588	26	553-172
9mm Luger	13	371-556	8	119-811	16	497-855	19	283-141	12	591-655
38 Super	5	149-487	8	119-811	39	179-269	19	283-141	12	591-655
9mm Steyr	13	371-556	8	119-811	16	497-855	19	283-141	12	591-655
357 Sig	5	149-487	10	672-026	27	144-563	19	283-141	15	200-918
9x56mm Mannlicher-Schoenauer	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
9x57mm Mauser (9mm Mauser)	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
38 Long Colt	12	794-408	6	725-493	6	278-373	1	346-472	1	170-236
38 Special	12	794-408	6	725-493	6	278-373	1	346-472	1	170-236
38-45 ACP	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
357 Magnum	12	794-408	6	725-493	6	278-373	1	346-472	1	170-236
357 Maximum	12	794-408	6	725-493	6	278-373	1	346-472	1	170-236
357 Automag	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
357 Herrett	2	577-229	2	337-893	2	701-879	3	604-214	6	523-338
356 Winchester	2	577-229	2	337-893	2	701-879	3	604-214	6	523-338
35 Remington	1	479-187	26	260-513	9	558-299	2	616-684	2	753-317
358 Winchester	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
35-284 Winchester	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
35 Winchester	8	288-926	11	414-672	7	163-800	5	293-674	7	527-371
35 Whelen	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
350 Remington Magnum	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152
358 Norma Magnum	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152
358 Shooting Times Alaskan	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152
35-8mm Remington Magnum	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152
38 S&W	12	794-408	28	874-325	6	278-373	1	346-472	21	733-400
9x18mm (9mm Makarov)	13	371-556	8	119-811	16	497-855	19	283-141	12	591-655
9.3x57mm Mauser (9mm Mauser)	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
9.3x62mm Mauser	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
9.3x64mm Brenneke	33	301-991			Special	597-314				
375 Winchester	2	577-229	2	337-893	2	701-879	3	604-214	6	523-338
375-284 Winchester	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
375-350 Remington Magnum	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152
375 Whelen	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
375-338 Winchester Magnum	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152

Please reference the shellholder number if you are looking for a shellplate. Manufactures use the same number for shellholders and shellplates.  
 (Example a 223 Rem use a Lee #4 Shellholder, for a Lee progressive press 223 Rem needs a Lee #4 Shellplate)

Cartridge	Redding		Hornady		RCBS		Lee		Lyman	
	#	Product #	#	Product #	#	Product #	#	Product #	#	Product #
375 H&H Flanged Magnum					Special	412-612				
375 H&H Magnum	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152
376 Steyr			15	590-952	42	405-761				
375 Ruger	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152
375 Weatherby Magnum	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152
375 Remington Ultra Magnum	6	767-998	5	598-844	38	716-664	5	293-674	13	157-152
375 Dakota	404	318-329	35	692-398	41	173-863				
378 Weatherby Magnum	18	371-368	14	740-811	14	155-560	8	596-364	17	768-989
38-55 WCF	2	577-229	2	337-893	2	701-879	3	604-214	6	523-338
38-72 WCF	8	288-926	11	414-672	7	163-800	5	293-674	7	527-371
41 Long Colt	1	479-187	1	795-819	27	144-563	1	346-472	2	753-317
40 S&W	5	149-487	10	672-026	27	144-563	19	283-141	15	200-918
400 Cor-Bon	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
10mm Auto	5	149-487	10	672-026	27	144-563	19	283-141	15	200-918
40 Super	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
38-40 WCF	9	103-557	9	524-485	35	446-170	14	833-503	14B	153-958
40-50 Sharps Bottle Neck	18	371-368	14	740-811	5	782-797	8	596-364	17	768-989
40-70 Sharps Straight	8	288-926	11	414-672	14	155-560	5	293-674	33	112-937
450-400 Nitro Express 3"					Special	579-525				
401 Winchester Self-Loading	1	479-187	1	795-819	3	326-468	2	616-684	2	753-317
40-50 Sharps Straight	8	288-926	11	414-672	Special	258-206	5	293-674	7	527-371
40-60 WCF					Special	172-207				
40-65 WCF	18	371-368	14	740-811	14	155-560	8	596-364	17	768-989
40-82 WCF	18	371-368	14	740-811	14	155-560	8	596-364	17	768-989
40-70 Sharps Bottle Neck	18	371-368	14	740-811	14	155-560	8	596-364	17	768-989
40-90 Sharps Bottle Neck	18	371-368	14	740-811	14	155-560	8	596-364	17	768-989
40-90 Sharps Straight					Special	464-114				
401 Herter Powermag					Special	217-326				
41 Remington Magnum	21	565-779	29	356-433	30	231-320	9	595-272	30	263-188
405 Winchester	8	288-926	42	741-171	24	641-595			33	112-937
10.3x60mm Rimmed Swiss	20	352-335	25	875-679	Special	532-590				
416 Taylor	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152
416 Remington Magnum	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152
416-300 Remington Ultra Magnum	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152
416 Hoffman	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152
416 Dakota	404	318-329	35	692-398	41	173-863				
416 Weatherby Magnum	18	371-368	14	740-811	14	155-560	8	596-364	17	768-989
416 Rigby	35	551-665	38	868-468	37	611-456	8	596-364	17	768-989
404 Jeffery	404	318-329	53	143-989	41	173-863				
44-40 WCF	9	103-557	9	524-485	35	446-170	14	833-503	14B	153-958
44 Russian	19	266-506	30	578-965	18	238-797	11	781-305	7	527-371
44 Special	19	266-506	30	578-965	18	238-797	11	781-305	7	527-371
44 Remington Magnum	19	266-506	30	578-965	18	238-797	11	781-305	7	527-371
444 Marlin	19	266-506	27	247-498	28	718-244	11	781-305	14B	153-958
445 Super Magnum	19	266-506	30	578-965	18	238-797	11	781-305	7	527-371
425 Express	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152
425 Westley Richards					Special	652-001				
43 Spanish					22	455-378	17	422-808		
11x59mm Rimmed French Gras					Special	255-411				
43 Mauser (11x60mm Rimmed Mauser, 11.15x60mm Rimmed Mauser)	16	291-464			22	455-378	18	288-336		
45 GAP	1	479-187	45	181-340	3	326-468	2	616-684	2	753-317
45 ACP	1	479-187	45	181-340	3	326-468	2	616-684	2	753-317
45 Auto Rim	17	139-636	31	286-893	8	402-313	13	324-272		
45 Winchester Magnum	7	286-213	45	181-340	36	293-211	2A	870-619	2	753-317
45-100 Sharps Straight	18	371-368	14	740-811	14	155-560	8	596-364	17	768-989
45-110 Sharps Straight	18	371-368	14	740-811	14	155-560	8	596-364	17	768-989
45-120 Sharps Straight	18	371-368	14	740-811	14	155-560	8	596-364	17	768-989
45 Colt (Long Colt)	23	224-338	32	566-182	20	465-148	11	781-305	11	447-601
454 Casull	23	224-338	32	566-182	20	465-148	11	781-305	11	447-601
460 S&W Magnum	23	224-338	46	789-246	20	465-148	14	833-503	11	447-601
45 S&W Schofield	23	224-338	41	860-283	35	446-170	14	833-503	14B	153-958
45-60 WCF	18	371-368	14	740-811	14	155-560	8	596-364	17	768-989
45-75 WCF					46	953-953			36	352-563
455 Webley	6	767-998	51	914-955	38	716-664	5	293-674	13	157-152

Please reference the shellholder number if you are looking for a shellplate. Manufactures use the same number for shellholders and shellplates.  
 (Example a 223 Rem use a Lee #4 Shellholder, for a Lee progressive press 223 Rem needs a Lee #4 Shellplate)

Cartridge	Redding		Hornady		RCBS		Lee		Lyman	
	#	Product #	#	Product #	#	Product #	#	Product #	#	Product #
577-450 Martini Henry					22	455-378	22	110-282		
45-90 WCF (45-85 WCF)	18	371-368	14	740-811	14	155-560	8	596-364	17	768-989
458x2" American	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152
45-70 Government	18	371-368	14	740-811	14	155-560	8	596-364	17	768-989
450 Marlin	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152
458 Winchester Magnum	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152
458 Lott	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152
450 Ackley Magnum	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152
450 Dakota	18	371-368	14	740-811	14	155-560	8	596-364	17	768-989
450 Number 2 Nitro Express 3-1/2"					Special	747-664				
450 Nitro Express			54	464-981						
460 Weatherby Magnum	18	371-368	14	740-811	14	155-560	8	596-364	17	768-989
480 Ruger	18	371-368	14	740-811	40	157-111	5	293-674	17	768-989
475 Linebaugh	18	371-368	14	740-811	40	157-111	5	293-674	17	768-989
470 Capstick	6	767-998	5	598-844	4	583-303	5	293-674	13	157-152
470 Nitro Express	31	168-714	55	766-536	Special	158-589				
475 Number 2 3-1/2"					Special	736-838				
50 Action Express	19	288-926	40	862-803	33	452-514	11	781-305	7	527-371
500 S&W Magnum	15	289-068	44	731-535	44	817-490	16	127-777	17	768-989
505 Gibbs Magnum					47	341-070				
50-90 Sharps					31	520-068			22	374-139
500 Nitro Express 3"			55	766-536	Special	174-670				
50 BMG			50	807-642	Special	312-269	Special	241-949		
500 Linebaugh	20	352-335	25	875-679	5	782-797	8	596-364		
50-70 Government					31	520-068			22	374-139
50-95 WCF					Special	161-847				
577 Snyder					Special	131-153	22	110-282		
577 Nitro Express					Special	540-837				
600 Nitro Express					Special	547-434				